

Message

---

**From:** Rao, Kate [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2BA7867156604CCF99AD869E8F00C059-KRAO]  
**Sent:** 9/25/2018 8:45:55 PM  
**To:** Kerpel, Judith [KERPEL.JUDITH@EPA.GOV]  
**Subject:** FW: Status of Kozuma LCC

Hi Judy - can you add this to the record?

Thanks. Kate

---

Kate Rao  
Drinking Water Protection Section (WTR 3-2)  
USEPA Region 9  
75 Hawthorne Street, San Francisco, CA 94105  
tel: (415) 972-3533 / fax: (415) 947-3549

-----Original Message-----

From: Rao, Kate  
Sent: Tuesday, September 25, 2018 1:45 PM  
To: [REDACTED] Ex. 6 Personal Privacy (PP)  
Cc: carl.ibaan@doh.hawaii.gov  
Subject: RE: Status of Kozuma LCC

Hi Mr. [REDACTED] -

Thank you for reaching out to me. I have been corresponding with Mr. Kozuma and monitoring his progress in replacing the cesspool at his property. Unfortunately I have no additional information I can provide to you at this time.

Thank you.

Kate

---

Kate Rao  
Drinking Water Protection Section (WTR 3-2) USEPA Region 9  
75 Hawthorne Street, San Francisco, CA 94105  
tel: (415) 972-3533 / fax: (415) 947-3549

-----Original Message-----

From: [REDACTED] Ex. 6 Personal Privacy (PP)  
Sent: Monday, September 24, 2018 11:38 AM  
To: Rao, Kate <Rao.kate@epa.gov>  
Cc: carl.ibaan@doh.hawaii.gov  
Subject: Status of Kozuma LCC

9/24/18

Hi Ms. Rao,  
I'm resending my last email to you since I did not receive a response. I'm hoping to hear from you soon.  
Aloha,  
Hugh

Dear Ms. Rao

I am writing to follow-up on the the status of the Large Capacity Cesspool(LCC) located on Richard Kozuma's property at 46-093 Lilipuna Road, Kaneohe, Hawaii 96744. I know Mr. Kozuma has done some preliminary work but for the last 7 or 8 months done nothing to fix the problem.

I want to be clear with you that my complaint about his cesspool leaching on to my property which led to Kozuma physically removing unauthorized drainage pipes on his property in the presence of Mr. Ibaan had nothing to do with him filing a law suit against me in December 2017 or January 2018. I was not informed of his suit until well after I made my initial complaint with the Hawaii State DOH in spite of what you may have heard from Mr. Kozuma. He now pumps his cesspool every three to four weeks but during and after heavy rains his cesspool overflows and wet areas become visible on my property.

Since January 2018 when I spoke with you and you made contact with Mr. Kozuma, he has done nothing to undertake the task of ceasing the use of his LCC and replacing it with a certified septic system or alternative.

I am requesting a response from your department as to the reasons why Mr. Kozuma has not made any attempt or show any urgency to install a septic or alternative system and close his existing LCC as necessitated by the EPA.

Aloha,

Ex. 6 Personal Privacy (PP)

Sent from my iPad